

**From:** Dennis Carney/R3/USEPA/US  
**Sent:** 4/2/2012 10:40:42 AM  
**To:** Kelley Chase/R3/USEPA/US@EPA  
**CC:** Gerald Heston/R3/USEPA/US@EPA; Richard Fetzer/R3/USEPA/US@EPA  
**Subject:** Re: UPDATED w/ Wellhead and TAP info - Week #2 - Summary of Locations Exceeding Trigger Levels

Kelley, thanks..... and by the way, meant to send you a note last week and forgot. Wanted to let you know that the summary was great (and with these adjustments, it'll be even better). I was able to handle smoothly and confidently all the questions I got last week from Shawn and HQ when they sought specifics about week 2 results. So thanks so much! Good work! den.

**From:** Kelley Chase/R3/USEPA/US  
**To:** Dennis Carney/R3/USEPA/US@EPA, Gerald Heston/R3/USEPA/US@EPA  
**Cc:** Richard Fetzer/R3/USEPA/US@EPA  
**Date:** 04/02/2012 10:30 AM  
**Subject:** UPDATED w/ Wellhead and TAP info - Week #2 - Summary of Locations Exceeding Trigger Levels

Dennis -

Attached is the updated summary of Week #2 location exceeding triggers. Now includes info on where the sample was collected (wellhead, tap, RO, etc.)

Previous table only noted the maximum detects and did not indicate where the sample was collected.

Will be sending up the Week #3 late today.

- Kelley

[attachment "Updated 4-2-12-Week 2 - DRAFT Summary of Trigger Exceedances.xlsx" deleted by Dennis Carney/R3/USEPA/US]

----- Forwarded by Kelley Chase/R3/USEPA/US on 04/02/2012 10:26 AM -----

**From:** Kelley Chase/R3/USEPA/US  
**To:** Dennis Carney/R3/USEPA/US@EPA, Gerald Heston/R3/USEPA/US@EPA  
**Cc:** Richard Fetzer/R3/USEPA/US@EPA  
**Date:** 03/26/2012 11:46 AM  
**Subject:** Week #2 - Summary of Locations Exceeding Trigger Levels

Dennis -

Sounds like we still have some issues to work out. I'm at the site and will be on the 1 pm call (I am assuming its the - 5996 #).

In the meantime.... here's a summary of the locations exceeding triggers for week sampling. Please note that where possible - I tried to include additional information regarding water provision (EPA or Cabot), any treatment and/or methane venting.

Talk to you later - Kelley

[attachment "Week 2 - DRAFT Summary of Trigger Exceedances.xlsx" deleted by Kelley Chase/R3/USEPA/US]